

# **STARIK** **INDUSTRIAL**



*CHEMICAL CATALOG*  
*2021*

# ENGINEERING CHEMICALS



**ACC** 300-1050012

**Foaming, aerosol, air conditioning coil cleaner** with foam-back action. Dislodges embedded dirt, grease and smoke residue. Helps deodorize and clean condensate pans. Environmentally friendly product.

**BIO-GEN Foam for Drains** 300-3060006

**Totally new and unique concept in drain maintenance.** Bio-energized foaming drain cleaner combining the power of concentrated natural bacteria in formula with citrus grease cutters and odour counteracting "boosters". Provides positive control of odour and the elimination of drain fly and insect sources. Maintains drains and lines in a clean and free flowing condition without the use of harsh chemicals or hazardous solvents. Does not harm plumbing fixtures, drains, traps, sewers or septic systems. Deodorizes and digests grease and waste naturally. And so easy to use. (c/w 3ft HOSE)



**BIO Product**



**BLASTER** 300-6030012

**Powerful foaming cleaner/degreaser** for all hard industrial, automotive surfaces. Spray on and let penetrating, bubbling action emulsify oil and grease. Rinse off for a grease free surface.



**CEIL WHITE** 300-3050012

**Specially designed ceiling tile restorer** covers stains and marks on discoloured white ceiling tiles without changing their acoustical or fire retardation values. Effective for both rough and smooth tile finishes. Eliminates tile replacement costs. Easy to use.



**DUST AIR** 300-6090012

**A non-flammable, non-combustible, non-ozone depleting air blaster** for removal of microscopic dust, lint and other contaminants.



**EMC** 300-6120012

**Electric Motor Cleaner and bearing flush** with unique dual tilt spray valve system provides both pencil stream and fan type sprays. Great for blasting dirt, grime and grease once pre-wetted with gentle fan spray. Non-flammable, non-conductive and non-ozone depleting.



**ENVIROSOL™** 300-6070012

**NATURES OWN SUPER DEGREASER!** 100% natural, environmentally agreeable, water emulsifiable degreaser for those tough degreasing and cleaning jobs. Quickly dissolves grease, oil, ink, adhesives, putty, wax, rubber marks, asphalt, tar and other tough soils allowing them to be easily wiped away, flushed off with water or left to air dry with minimal residue.



**GALV-IT** 300-6100012

**Full galvanized protection without hot zinc dipping.** Spray protection for all iron or steel surfaces exposed to oxidation. Amazing break-through - cold spray aerosol galvanizer.



**LECTRONIC** 300-6150012

**High purity electrical and electronic solvent** specifically designed for fast evaporation. Non-conductive and non-flammable. Perfect for cleaning sensitive electronic components and contacts.



**LUBITOL™** 300-6220012

**A VERITABLE TOOL BOX IN A CAN!** Penetrates, lubricates, displaces moisture from wet electrical systems, cleans and provides a thin protective film that inhibits corrosion and prevents short circuits in electrical systems...AND NON-FLAMMABLE too! High dielectric strength for added safety. CONTAINS NO CHLORINATED SOLVENTS. THOUSANDS OF USES.



**MPC** 300-6240012

**Long term, highly surface adherent, flexible yet non-tacky metal protection** from exposure to weather, high humidity, chemical fumes and salt spray. Excellent protection for parts, machinery and equipment stored indoors or outdoors, even in transit. Used on ships, oil rigs, metal moulds and machined parts in storage. Maximum metal protection from corrosion, salt, chemicals and pollutants. HUNDREDS OF APPLICATIONS.



**RUST-O-LENE** 300-6260012

**Rust converter / primer.** Cementitious coating not based on normal resins, but which bonds like cement. Oxide pigments found in Rust- O-Lene prevent further rusting. Specially designed to chemically react to and stop rust, converting it to stable metal-organic compound that is paint ready.



**SEAL** 300-6270012

**Elastomer conformal coating** intended to be applied to electrical connections, circuit boards, phone and cable circuits, outdoor lighting and to protect against moisture causing corrosion and shorting. Forms a protective dielectric seal.



**STEELOK** 300-6350012

**Stainless steel urethane coating.** A blend of micro-ground stainless steel pigment in a polyurethane binder. Refurbishes any stainless steel surface. Excellent top coat for Galv-It or great as protective coating while adding the beauty of stainless steel to almost any surface. Excellent for outdoor as well as indoor use.



**VISION** 900-9810012

**Cleans and protects glass and plastic screens,** while at the same time filling in minute surface scratches to provide a clearer, sharper image. Leaves invisible anti-fog, anti-static protective coating to resists dust, oil, smudges, fingerprints, scratches and wear. Helps reduce eye fatigue. Excellent for screens, shields, masks, visors, displays, covers, scanners and inspection windows.

**STARK INDUSTRIAL**



# LUBRICANTS



## DRI-LUBE

600-6050012

### PTFE based lubricant/release agent.

Non-staining dry lubricant and release agent to replace graphite and other old-fashioned dry lubricants. Contains no silicones.



## LUBITOL™

300-6220012

**A VERITABLE TOOL BOX IN A CAN!** Penetrates, lubricates, displaces moisture from wet electrical systems, cleans and provides a thin protective film that inhibits corrosion and prevents short circuits in electrical systems...AND NON-FLAMMABLE too! High dielectric strength for added safety. CONTAINS NO CHLORINATED SOLVENTS. THOUSANDS OF USES.



## LUBRICOOL™

600-6350012

**Cutting and tapping fluid.** A unique combination of lubricants and coolants for reducing friction and dispersing heat buildup during cutting, drilling, boring or tapping operations.



## LUBRIFLEX™

600-6260012

**Chain and cable lubricant** designed to prevent rust, penetrate deep into the cable core and chain links, eliminate friction and excessive or premature wear. Will not drip off.



## LUBRIMESH™

600-6700012

**Open gear lubricant.** Unique cohesive and adhesive action keeps meshing gears coated with protective lubricating film even under the most demanding high speed, extreme pressure and variable temperature conditions. Will not drip off or attract dirt. Excellent protection against rust and corrosion.



## MEG-A-LOOSE

600-7020012

**High solvency penetrating oil** that quickly cuts through dirt, corrosion and scale to creep into parts that have frozen due to corrosion. Contains 'moly' to provide superior lubrication properties. Leaves a protective film.



## MEGALUBE ASC

600-6150012

### Copper/nickel based anti-seize compound.

Able to withstand extreme temperature ranges (-100° to +2,650° F.). Completely weatherproof and corrosion resistant.



## MEGALUBE WGL

600-7250012

**A white Lithium grease** that will not run in warm weather or get hard in cold climates. Excellent year-round use product. Easy to use spray penetrates hard to reach areas.



## MICROLUBE™

600-6400012

**Dry "Moly" lubricant.** A Molybdenum disulfide based dry lubricant offering high temperature stabilization, extreme resistance to wear and abrasion, and excellent lubricity. Will give equipment additional life expectancy.



## MICROTAC

200-2150012

**Industrial and automotive belt conditioner/dressing.** New formula belt conditioner which assures belt traction and reduces slipping of rubber, canvas, fabric, or leather transmission belts.



## SUPER-SIL

600-7350012

**Dry lubricant/release agent** for use on almost any surface. Superior silicone formula reduces friction and wear, quiets moving parts and protects rubber, vinyl and plastic surfaces. Clear, colourless and non-gumming. Provides exceptionally low surface tension properties for any sliding, gliding or moving parts and surfaces.



## TEFI LUBE

600-7400012

**PTFE lubricant** with unique cohesive and adhesive action that maintains PTFE surface film even under extreme pressure, temperature and speed. Sprays on liquid and sets up as a semi-transparent grease. Excellent lubrication for wide range of applications and settings. Greatly reduces wear and tear on working equipment.

## FOOD GRADE LUBRICANTS



## LUBRICOTE

600-6610012

**Colourless, odourless and tasteless PURE LIQUID PETROLATUM U.S.P. food grade oil lubricant** and/or rust and corrosion protection for any parts on food processing, handling and preparation equipment especially where exposure to edible product is of concern. Wide temperature application range. Highly resistant to water wash-off. Contains no solvents or silicone.



## LUBRISIL

600-664001

**Colourless, odourless PURE FOOD GRADE DRY SILICONE LUBRICANT** developed especially for use in food processing and packing industries. High quality, dry, friction reducing film for use on all types of surfaces including metal, painted and unpainted, glass, rubber, plastic and fabric. Wide temperature application range. Will not stain or discolour. NO CHLORINATED SOLVENTS!

# STARK INDUSTRIAL



# AUTOMOTIVE & GENERAL USE



**3P™** 200-1100012  
**Clean, beautify and protect almost any surface.** Revitalize colour and pliability while inhibiting cracking, fading or hardening by blocking out ultraviolet rays, dirt, oxides, chemical vapours and oxygen. Absorbs and deactivates ozone. Waterproofs.



**BCP** 200-2100012  
**Battery cable and terminal renovator, leak detector and protector.** For auto repair, golf courses, bus and taxi companies. Removes dirt, rust and corrosion from cables and terminals. Leaves protective barrier. Non-flammable, non-toxic formulation.



**BRAKESOL** 200-5100012  
**Brake cleaner.** Removes old grease and dirt from brake parts without complete disassembly. Dries quickly without leaving a residue. Non-flammable formulation.



**GPR** 200-5150012  
**Gasket and paint remover.** A fast acting, economical formula used to remove paint, gaskets, decals or graffiti from many types of surfaces.



**MICROTAC** 200-2150012  
**Industrial and automotive belt conditioner/dressing.** New formula belt conditioner which assures belt traction and reduces slipping of rubber, canvas, fabric, or leather transmission belts.



**THAWZ** 900-9790012  
**Formulation designed for quick de-icing of locks, mirrors, lights and windshields and plastics on convertibles.** An excellent non-staining formulation.



**UNDERCOAT** 200-5700012  
**Sound deadener and undercoat.** Durable, flexible rubberized coating that protects vehicle under-bodies, wheel wells and equipment against corrosion caused by water, road grime, salt and chemicals.

## SILICONES



**Flex-A-Sil RTV RED & BLACK**  
 RTV Silicone, gasket maker, sealant and adhesive. Replaces cork, paper, asbestos, felt and metal gaskets. High temperature and pressure resistance.  
**Flex-A-Sil RTV BLACK - 300-3190106**  
**Flex-A-Sil RTV RED - 300-3190306**



**Flex-A-Sil RTV CLEAR, WHITE & YELLOW**  
 RTV silicone for caulking and sealing is ideal for use wherever a strong permanently elastic weatherproof caulk, sealant or adhesive is needed. Temperature resistant. Remains flexible and will not shrink, crumble or dry out. \*\*White contains a mildewcide to help resist mildew growth.  
**Flex-A-Sil RTV CLEAR - 300-3190206**  
**Flex-A-Sil RTV WHITE - 300-3190406\*\***  
**Flex-A-Sil YELLOW - 300-3190506**

## INSECT CONTROL



**BED BUG KILLER** 900-9330012  
**Residual insecticide.** A highly effective contact and residual insecticide for the control of bed bugs as well as fleas and other flying and crawling insects. Water based formula is non-irritating to humans and animals. Non-staining on water-safe fabrics. **PCP REG.**



**BUZZ-OFF** 900-9280012  
**Wasp and Hornet Blaster.** Superior control of wasps, hornets and yellow jackets. When sprayed into their nests it kills instantly and provides quick knockdown of flying insects. Powerful valve system dispenses a 6 metre blast throughout the entire life of can. **PCP REG.**



**CRAWLING INSECT KILLER** 900-9700012  
**Residual insecticide.** Super effective residual "energized" insecticide uses a blend of several active ingredients to provide superior crack and crevice insect control. Especially ideal for damp, dark, remote insect habitats. **PCP REG.**



**FLYING INSECTICIDE JR.** 500-9920019  
**Metered space insecticide.** Concentrated formula designed especially for use in Mega-Mist dispensers for continuous automated control of flies, mosquitoes, gnats and small flying moths. Provides 30 days of continuous insect control. **PCP REG.**



**HOUSE & GARDEN** 900-9300012  
**Insecticide for flying and crawling insects.** Powerful low toxic insecticide effective against the most resistant strains of insects. For use indoors as well as outdoors. Also provides protection against munching garden bugs. Pleasant fragrance. **PCP REG.**



# HOUSEKEEPING



**BEAUTIFOAM** 500-9510012

**High lustre lemon furniture polish** - a dual action cleaner and polish for wood, vinyl, plastic, ceramic, porcelain, and painted metal surfaces.



**BIO Product**

**BIO-8™** 500-5090012

**Naturally bio-energized all-purpose foaming cleaner** combining the power of concentrated non-pathogenic bacterial/enzymatic activity in formula with "Natures Own" grease cutting and odour counteracting "boosters" to safely and efficiently break down organics while providing positive control of odours. THE MOST "ENVIRONMENTALLY ACCEPTABLE" TYPE OF CLEANING PRODUCT AVAILABLE.



**CRYSTAL** 500-9520012

**Excellent streak-free, non-ammoniated, easy to use glass, plastic and hard surface cleaner.** Leaves no residue and will not haze, cloud or film. Produces a dust resistant surface to stay cleaner longer.



**SPARKLE** 500-9640012

**Aerosol glass cleaner.** A non-streaking formulation that contains no unpleasant odours. Dissolves everyday stains. Excellent on hard surfaces leaving a fresh clean scent.



**SPOT-X** 500-9660012

**Spot remover.** An effective carpet and upholstery spot remover for most natural and synthetic carpets. Effective on grease, tar, crayon, gum, lipstick, and fresh paint. Just spray on and blot. Dries quickly. Low odour good pre-spotter.

## FOOD SERVICE & KITCHEN



**CARBON-X** 400-4840012

**Baked carbon remover** for all metal surfaces such as stainless steel, aluminum, copper, glass and brick. Forms a clinging gel on application and is water flushable making it particularly useful on odd-shaped, irregular and vertical surfaces. Great for pots and pans, baking tins, roasting pans, BBQ's and all such metal equipment as well as fireplace and woodstove glass doors.



**SST** 500-9680012

**Non oily stainless steel cleaner and polish** Unique one-step application restores natural brilliance and gives a protective coating to stainless steel surfaces. Helps repel finger prints. Virtually odourless.



**WIPE OUT** 500-9730012

**Foaming industrial strength oven and grill cleaner** uniquely formulated with built-in penetrants and biodegradable surfactants for quick removal of baked on grease, fat, soot and carbon from ovens, griddles, deep fryers, barbecues and grills



**SST** 500-9680012

**A non oily stainless steel cleaner polish** Unique one-step application restores natural brilliance and gives a protective coating to stainless steel surfaces. Helps repel finger prints. Virtually odourless.



**VANDEX** 500-9710012

**Gel-type graffiti mark remover.** Newly developed clinging formulation with a penetrating solvent action to remove most types of spray paint, marking pen marks, etc. from most hard surfaces. Always pre-test before applying.



**X-PEL** 500-6380012

**Foaming carpet cleaner and deodorizer** formulated with a special blend of enzyme producing, non-pathogenic bacteria which deeply penetrates into carpet backing, padding and upholstery cushions to safely digest organic stains and neutralize odours. Destroys odours and stains caused by food/beverages, body oils, pets, tobacco, vomit, urine and feces. Effective on carpet, carpet backing, padding, fabric, upholstery, automobile interiors, recreational vehicles and pet areas. Leaves treated area with a clean, fresh fragrance. Inverted spray valve provides for easy waist high application.



## DISINFECTANTS



**GERMIFOAM™** 500-9700012

**Foaming disinfectant cleaner** - an excellent one step answer for use where disinfection is critically important. Destroys most gram negative and gram positive organisms found on non-porous surfaces thereby eliminating odours at their source. Effectively controls growth of mold, mildew and fungus.



**GERMIST™** 500-9530012

**Handy disinfectant spray** for destroying most gram negative and gram positive organisms found on non-porous surfaces. Inhibits growth of mold, mildew and fungus. Neutralizes disagreeable odours at the source.

## HYGIENE



**COATEX** 300-6050012

**Invisible protective skin cream** in aerosol form provides an invisible barrier to protect hands and skin from the affects of ink, dye, grease, grime, dirt, solvents, tar, coatings and paint, epoxies and most types of irritating dusts and chemicals. Contains lanolin. Non-oily, non-tacky and non-staining. Leaves skin with "natural feel". Makes wash-up a snap.



**dermaKLENZ** 800-8720012

**Waterless skin cleanser with LANOLIN.** Quick, gentle and effective removal of all soils (oil, grease, gum, tar, paint, sap, putty, carbon, printing and ribbon inks, copy toner, etc.) from skin without the necessity of water, while at the same time restoring moisture and body to skin surfaces, leaving them soft and smooth with a "natural feel". Actually aids dry or chapped skin conditions. PORTABLE, CONVENIENT AND PLEASANT TO USE. Handy for transient service and maintenance personnel.

# STARK INDUSTRIAL



# AIR FRESHENERS

## Fresh-Aire Juniors & TALL CAN SERIES



### Mega-Mist Fresh Aire Jr Dispenser

- **Maintenance Free** 500-9710012
- Easy to load and set
- Effective up to 170m3/6000ft3
- 3 interval timed spray: 7.5 min - 15 min - 30 min
- 3 modes for selection:
  - 24 hour timer** - operates through 24 hours
  - Night timer** - does not operate when no light
  - Day timer** - operates when there is light
- Operated by 2 'AA' batteries with Off switch.
- Lock and key for refill compartment
- 3000 sprays per can • LED refill replacement reminder

### FRESH-AIRE Jrs.

**METERED - Odour counteractant and air fresheners** in a metered wall unit. Each can delivers 3,000 precise sprays to freshen any room up to 6,000 cubic feet.

- CINNAMON
- LEMON LIME
- BUTTERSCOTCH
- STRAWBERRY/PEAR
- VANILLA
- APPLE
- ORANGE
- BERRY
- MANGO
- COTTON BLOSSOM
- FRESH LINEN.



CINNAMON Jr  
500-9930012



LEMON LIME Jr  
500-9940012



BUTTERSCOTCH Jr  
500-9950012



STRAWBERRY PEAR Jr  
500-9920009



VANILLA Jr  
500-9920010



APPLE Jr  
500-9920001



ORANGE Jr  
500-9920008



BERRY Jr  
500-9920002



MANGO Jr  
500-9920006



COTTON BLOSSOM Jr  
500-9920004



FRESH LINEN Jr  
500-9920005

### FRESH-AIRE

**Odour counteractant and air fresheners in a spray-thru cap.**

- FRESH LINEN
- MORNING GLORY
- ORANGE GROVE
- VANILLA.



FRESH LINEN  
500-9910003



MORNING GLORY  
500-9910004



ORANGE GROVE  
500-9910005



VANILLA  
500-9910006



SOLAR FLARE

500-9620012

**Chemically counteracts foul odours which offend people.** Dissolves grease and oily soils quickly and effectively. Excellent for use in and around kennels, veterinary hospitals, urinals, cancer wards, nursing homes and institutional facilities.

# ***ADDITIONAL PRODUCTS***

**WE ALSO PROVIDE A VARIETY  
OF PRODUCTS FOR THE  
FOLLOWING APPLICATIONS:**

***BOILER AND WATER TREATMENT  
PAINTS AND EPOXYS  
SOLVENTS AND MORE!***

**CONTACT US TODAY [INFO@STARKINDUSTRIAL.CA](mailto:INFO@STARKINDUSTRIAL.CA)  
TOLL FREE 1888 709 7773**



***STARK***  
***INDUSTRIAL***